



Mon, 3 Apr 2006, 11:44:39 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

[Add Search](#) [Reset](#)

Recent Search Queries

- #1 ((searching<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #2 ((searching<in>metadata) <and> (synonym <in>metadata))
<and> (concept<in>metadata)
- #3 ((retrieving<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #4 ((retrieving<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #5 ((retrieving<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #6 ((retrieving<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #7 ((searching<in>metadata) <and> (second<in>metadata))
<and> (concept<in>metadata)
- #8 ((searching<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #9 ((((searching<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata))<AND>
((searching<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata))
- #10 ((searching<in>metadata) <and> (alternate<in>metadata))
<and> (concept<in>metadata)
- #11 ((searching<in>metadata) <and> (second<in>metadata))
<and> (concept<in>metadata)
- #12 ((((searching<in>metadata) <and> (second<in>metadata))
<and> (concept<in>metadata))<AND>((tree or trie or
hierarchical)<in>metadata))
- #13 ((((searching<in>metadata) <and> (second<in>metadata))
<and> (concept<in>metadata))<AND>((tree or trie or
hierarchical)<in>metadata))

[Clear Search History](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(datanear2(min\$4orwarehouse))same(associat\$5ormap\$4)same(name\$1orbusiness\$2)").PN.	USPAT; USOCR	OR	OFF	2006/04/03 10:55
L2	145	(data near2 (min\$3 or warehouse)) same (map\$4 or associat\$3) same (name\$1 or business\$2)	USPAT	OR	OFF	2006/04/03 10:56
L3	0	(data near2 (min\$3 or warehouse)) same (map\$4 or associat\$3) same (name\$1 or business\$2) same (synonym or acronym)	USPAT	OR	OFF	2006/04/03 10:56
L4	0	(data near2 (min\$3 or warehouse)) same (map\$4 or associat\$3 or 1-to-1 or 1-N or N-1 or one-to-many or many-to-one) same (name\$1 or business\$2) same (synonym or acronym)	USPAT	OR	OFF	2006/04/03 10:58
L5	92	(search\$3 or retriev\$3 or quer\$3 or request\$3)same ((synonym or acronym or alternative or other or related) with (name or (business near2 name\$1) or title\$1 or concept\$1)) same (hierarchical or tree\$1 or trie or parent-child or 1-N or N-to or one-to-many or many-to-one)	USPAT	OR	OFF	2006/04/03 11:07
L6	40	5 and 707/3,10.ccls.	USPAT	OR	OFF	2006/04/03 11:07
L7	33	6 and @ad<"20010718"	USPAT	OR	OFF	2006/04/03 11:02
L8	41	(search\$3 or retriev\$3 or quer\$3 or request\$3)same ((synonym or acronym or alternative or other or related) with (name or (business near2 name\$1) or title\$1 or concept\$1) with(hierarchical or tree\$1 or trie or parent-child or 1-N or N-to or one-to-many or many-to-one))	USPAT	OR	OFF	2006/04/03 11:07
L9	19	8 and 707/3,10.ccls.	USPAT	OR	OFF	2006/04/03 11:07